Attorney Docket No.: (N1280-00180-TSMC2003-1083)

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

Patent Number: 7,187,036 Serial No.: 10/815,201

Issued: March 6, 2007 Inventor(s): Jhon Jhy Liaw

Title: CONNECTION STRUCTURE FOR SOI DEVICES

Attention Certificate of Corrections Branch Commissioner for Patents P.O. Box 1450 Alexandria. VA 22313-1450

REQUEST FOR CERTIFICATE OF CORRECTION OF PATENT FOR PTO MISTAKE (37 CFR 1.322(a))

Dear Sir:

- 1. Attached is Form PTO/SB/44 wherein the errors occurring in the printed patent are noted by column and line number.
- 2. The exact page and line number where the correct language appears in the application file is:

Application specification filed 3/31/2004, page 5, Paragraph 22, lines 9 and 10; and

Application specification filed 3/31/2004, page 11, Paragraph 35, line 4.

Attorney Docket No.: (N1280-00180-TSMC2003-1083)

3. Please send the Certificate to:

Name: Steven E. Koffs, Esquire

DUANE MORRIS LLP

30 South 17th Street

Philadelphia, Pennsylvania 19103

Respectfully submitted,

Date: JUNE 11, 2007

Russell S. Timm, Ph.D. Registration No. 55,677

Attorney for Patentee

DUANE, MORRIS LLP 30 South 17th Street Philadelphia, Pennsylvania 19103 (215) 979-1812 (Telephone) (215) 979-1020 (Fax)

UNITED STATES PATENT AND TRADEMARK OFFICE CERTIFICATE OF CORRECTION

	Page 1 of 1
PATENT NO.	7,187,036
APPLICATION NO	10/815,201
ISSUE DATE .	March 6, 2007
INVENTOR(S)	Jhon Jhy Liaw
	I that an error appears or errors appear in the above-identified patent and that said Letters Patent ed as shown below:
Column 3, line	15, after "Ht," insert – nitrided
Column 3, line	16, delete "low-nitrided doped" and insert therefore low-doped
Column 6, line	9, delete "metal-silicide silicide" and insert therefore metal-silicide

MAILING ADDRESS OF SENDER (Please do not use customer number below):

Russell S. Timm, Ph.D., Duane Morris LLP

30 South 17th Street

Philadelphia, PA 19103

The concellent of information is required by 37 CPR 1322, 1233, mil 1324. The information is remained to obtain or retain a betwelf by the golds which as of the up in the 135°C to preciously an expectation. Condenderfally is greatered by 51 Sec. 122 and 97 CEP 14.3 The collection is estimated in the life of the number of the preciously guiltaining, sceparing, and automating the completed application from to the USPTO. Then will surprise depending upon the individual scene, kein completes, including guiltaining, sceparing, and automating the complete applications for reciving this school installed the script that the Script introduction comments in the script of the proper property of the script of the scrip